



Mapped, edited, and published by the Geological Survey
Base by National Oceanic and Atmospheric Administration,
National Ocean Service, Additional topography and
enhancements in some locations by Florida Department of
Environmental Protection, Florida Marine Research Institute,
Projection and 10 000-meter grid lines,
North American Datum of 1983



FLORIDA BAY SALINITY MAP-4B
SALINITY (ppt)
0-5
5-10
10-15
15-20
20-25
25-30
30-35
35-40
40-45
45-50
50-55
>55
USGS Salinity
UNR Salinity
EOP Salinity
No Data
No Data

SALINITY data collected by K. Ludwig and B. Zalewsky of the U.S. Geological Survey between 3-8 June 1988. Data provided by the National Park Service, Everglades National Park was collected at monitoring stations between 3-8 June 1988. Data provided by South Florida Water Management District was collected by the Southeast Environmental Research Program of Florida International University on 20-21 June 1988. Salinity is calculated using Unesco algorithms from conductivity and temperature field measurements. Contours are based on interpolation and trends within the data set, developed and smoothed using contouring software. This map has not been reviewed for conformity with U.S. Geological Survey editorial standards.

FLORIDA BAY BOTTOM SALINITIES

June 1995

By

Robert Halley,¹ Dewitt Smith,² and Mark Hansen¹

1995



¹ Center for Coastal Geology and Regional Marine Studies
U.S. Geological Survey
St. Petersburg, FL

² South Florida Natural Resources Center
Everglades National Park
Homestead, FL